

L Number	Hits	Search Text	DB	Time stamp
1	1	"6760777"	USPAT	2004/09/10 12:18
2	14	ibgp	USPAT	2004/09/10 12:18
15	1	"6633891"	USPAT	2004/09/10 12:18
16	813	(link\$2 network\$2) with (test\$3 analy\$6) with rout\$2	USPAT	2004/09/10 12:18
17	906	((link\$2 network\$2) with (test\$3 analy\$6) with rout\$3) and traffic\$2	USPAT	2004/09/10 12:19
18	760	((link\$2 network\$2) with (test\$3 analy\$6) with rout\$3) and automat\$3	USPAT	2004/09/10 12:19
19	31305	(link\$2 network\$2) with (test\$3 analysis)	USPAT	2004/09/10 12:20
20	742	((link\$2 network\$2) with (test\$3 analy\$6) with rout\$3) with rout\$3 and automat\$2	USPAT	2004/09/10 12:21
21	620	(link\$2 network\$2) with (test\$3 analysis) with rout\$2	USPAT	2004/09/10 12:21
22	76	((link\$2 network\$2) with (test\$3 analy\$6) with rout\$3 with traffic\$2) and "709"	USPAT	2004/09/10 12:21
23	159	(link\$2 network\$2) with (test\$3 analy\$6) with rout\$3 with traffic\$2	USPAT	2004/09/10 12:21
24	1635	(link\$2 network\$2) with (test\$3 analy\$6) with rout\$3	USPAT	2004/09/10 12:21
25	286	((link\$2 network\$2) with (test\$3 analy\$6) with rout\$3) and traffic\$2 and "709"	USPAT	2004/09/10 12:21
26	520	((link\$2 network\$2) with (test\$3 analysis)) and load adj balanc\$3	USPAT	2004/09/10 12:22
27	469	((link\$2 network\$2) with (test\$3 analysis)) and load adj balanc\$3) and rout\$3	USPAT	2004/09/10 12:22
28	352	((link\$2 network\$2) with (test\$3 analysis)) and load adj balanc\$3) and packet\$3	USPAT	2004/09/10 12:22
29	124	((link\$2 network\$2) with (test\$3 analy\$6) with rout\$3) and load adj balanc\$3	USPAT	2004/09/10 12:22
30	1	"709" and rout\$3 with test adj packet	USPAT	2004/09/10 12:22
31	43	"709" and rout\$3 with test with packet	USPAT	2004/09/10 12:22
32	118	"709" and (network link) with test with packet	USPAT	2004/09/10 12:22
33	1185	(link\$2 network\$2) with (test\$3 analy\$6) with traffic\$2	USPAT	2004/09/10 12:23
34	413	(link\$2 network\$2) with (test\$3 analy\$6) with traffic\$2 and "709"	USPAT	2004/09/10 12:23
35	478	(link\$2 network\$2) with (test\$3 analy\$6) with traffic\$2 and router\$2	USPAT	2004/09/10 12:23
36	30	(link\$2 network\$2) with (test\$3 analy\$6) with traffic\$2 with router\$2	USPAT	2004/09/10 12:23
37	74	load adj balanc\$3 with test\$3	USPAT	2004/09/10 12:23
38	11122	network\$3 with test\$3	USPAT	2004/09/10 12:24
39	357	network\$3 with test\$3 with traffic\$3	USPAT	2004/09/10 12:25
40	50	network\$3 with test\$3 with traffic\$3 with rout\$3	USPAT	2004/09/10 12:25
41	1	"6141410"	USPAT	2004/09/10 12:25
42	828	FREEDMAN.in.	USPAT	2004/09/10 12:25

43	46	"multi-homed"	USPAT	2004/09/10 12:25
44	47	multi adj homed	USPAT	2004/09/10 12:25
45	42	xml\$2 with cach\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:25
46	208247	xml\$2 with cach\$3 xor ibm	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:27
47	131	xml with server and cach\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:27
48	6	"6345292"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:27
49	2	"6502106"	USPAT	2004/09/10 12:27
50	4	"6360249"	USPAT	2004/09/10 12:27
51	141	xml with server\$2 and cach\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:27
52	1	("6526580").PN.	USPAT	2004/09/10 12:27
53	1	("6636845").PN.	USPAT	2004/09/10 12:27
54	1	("6445784").PN.	USPAT	2004/09/10 12:27
55	633	(link network) same (test analy\$5) same traffic\$2 same rout\$3	USPAT	2004/09/10 12:27
56	147	(link network) same (test analy\$5) same traffic\$2 same rout\$3 same router	USPAT	2004/09/10 12:27
57	71	(link network) same (test analy\$5) same traffic\$2 same rout\$3 same router and "709"	USPAT	2004/09/10 12:27
58	3	"6526580"	USPAT	2004/09/10 12:27
59	3	"6445784"	USPAT	2004/09/10 12:27
60	5	"6345292"	USPAT	2004/09/10 12:27
61	227	(link network) same test\$2 same traffic\$3 same rout\$3	USPAT	2004/09/10 12:27
62	60	(link network) same test\$2 same traffic\$3 same rout\$3 same set\$2	USPAT	2004/09/10 12:28
63	16	(link network) same test\$2 same traffic\$3 same rout\$3 same set\$2 and "709"	USPAT	2004/09/10 12:28
64	67	((link network) same test\$2 same traffic\$3 same rout\$3) and "709"	USPAT	2004/09/10 12:28
65	189	((link\$2 network\$2) with test\$3 same traffic\$3 same rout\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:28
66	55	((link\$2 network\$2) with test\$3 same traffic\$3 same rout\$3) and "709"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:28

67	68	((link\$2 network\$2) with test\$3 same traffic\$3 same rout\$3) and router	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:28
68	113	(link\$2 network\$2) same test\$3 same traffic\$3 same rout\$3 and router	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:28
69	2	"6141410"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:28
70	57	icmp adj packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:28
71	1050	load adj balanc\$3 same rout\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:28
72	453	(load adj balanc\$3 same rout\$3) and "709"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:29
73	34	load adj balanc\$3 same rout\$3 same (test\$3 measur\$3) and "709"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:29
74	2	"6141410"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 12:29
75	24	probe same rout\$3 same network\$3 same analy\$3	USPAT	2004/09/10 12:29
76	494	probe same network\$3 same analy\$3	USPAT	2004/09/10 12:29
77	166	probe same network\$3 same analy\$3 and rout\$3	USPAT	2004/09/10 12:29
78	67	probe same network\$3 same analy\$3 and traffic\$3	USPAT	2004/09/10 12:29
79	762	icmp	USPAT	2004/09/10 12:29
80	311	icmp same packet	USPAT	2004/09/10 12:30
81	419	icmp same packet\$2	USPAT	2004/09/10 12:30
82	419	icmp same packet\$3	USPAT	2004/09/10 12:30
83	305	icmp with packet\$3	USPAT	2004/09/10 12:30
84	40	icmp with packet\$3 same prob\$3	USPAT	2004/09/10 12:30
85	26	bgp same test\$3	USPAT	2004/09/10 12:30
86	350	bgp	USPAT	2004/09/10 12:30
87	24	probe with icmp	USPAT	2004/09/10 12:30
88	4	destination\$3 near5 ip adj address same test\$3 near5 network	USPAT	2004/09/10 12:30
89	11	destination\$3 near5 ip adj address same test\$3 same network	USPAT	2004/09/10 12:30

90	41	ip adj address near\$10 test\$3 same network	USPAT	2004/09/10 12:30
91	59	ip adj address with test\$3 same (network link)	USPAT	2004/09/10 12:30
92	6	internal adj bgp	USPAT	2004/09/10 12:30
93	16	internal adj bgp ibgp	USPAT	2004/09/10 12:30
94	20203	(internal withbgp ibgp) and "709"	USPAT	2004/09/10 12:32
95	17	(internal with bgp ibgp) and "709"	USPAT	2004/09/10 12:32
96	14	computer with secur\$2 with router	USPAT	2004/09/10 12:32
97	20	computer\$3 with secur\$2 with router\$3	USPAT	2004/09/10 12:32
98	105	computer\$3 with secur\$2 with router\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/10 12:32
99	34	computer\$3 with secur\$2 with router\$3	USPAT; EPO; JPO; DERWENT	2004/09/10 12:32
100	218	computer\$3 same (secur\$2 encrypt\$4) same router\$3	USPAT; EPO; JPO; DERWENT	2004/09/10 12:32
101	139	computer\$3 same (secur\$2) same router\$3	USPAT; EPO; JPO; DERWENT	2004/09/10 12:32
102	2661	(content application backend) same cach\$3 same request\$3	USPAT	2004/09/10 12:34
103	115	((content application backend) same cach\$3 same request\$3) same document\$3	USPAT	2004/09/10 12:34
104	30	((content application backend) same cach\$3 same request\$3) same packag\$3	USPAT	2004/09/10 12:34
105	857	((content application backend) same cach\$3 same request\$3) same (packag\$3 form\$3 generat\$3)	USPAT	2004/09/10 12:35
106	857	(((content application backend) same cach\$3 same request\$3) same (packag\$3 form\$3 generat\$3)) same request\$3	USPAT	2004/09/10 12:36
107	704	(((content application backend) same cach\$3 same request\$3) same (packag\$3 form\$3 generat\$3)) same request\$3 same (information\$2 data\$2 element\$2)	USPAT	2004/09/10 12:36
108	747	((((content application backend) same cach\$3 same request\$3) same (packag\$3 form\$3 generat\$3)) same request\$3) same (file\$2 information\$2 data\$2 element\$2)	USPAT	2004/09/10 12:37
109	1236	(content application backend) with (document\$2 file\$2 data\$2) same cach\$3 same request\$3	USPAT	2004/09/10 12:38
110	857	((content application backend) same cach\$3 same request\$3) same (packag\$3 form\$3 generat\$3) same (packag\$3 form\$3 generat\$3)	USPAT	2004/09/10 12:38
111	402	((content application backend) with (document\$2 file\$2 data\$2) same cach\$3 same request\$3) same (packag\$3 form\$3 generat\$3) claussen.in.	USPAT	2004/09/10 12:39
112	213	computer\$2 same configur\$3 same router\$2	USPAT	2004/09/10 12:39
113	651	computer\$2 with configur\$3 same router\$2	USPAT	2004/09/10 12:39
114	274	computer\$2 with configur\$3 same router\$2	USPAT	2004/09/10 12:40

115	137	computer\$2 with configur\$3 with router\$2	USPAT	2004/09/10 12:40
116	69	computer\$2 with configur\$3 with router\$2 and "709"	USPAT	2004/09/10 12:40
117	83	computer\$2 same secure same router\$2	USPAT	2004/09/10 12:40
118	354	computer\$2 same (encrypt\$5 secur\$3) same router\$2	USPAT	2004/09/10 12:40
119	480015	computer\$2 (encrypt\$5 secur\$3) with router\$2	USPAT	2004/09/10 12:43
120	145	computer\$2 with (encrypt\$5 secur\$3) same router\$2	USPAT	2004/09/10 12:43
121	134	computer\$2 same (encrypt\$5 secur\$3) with router\$2	USPAT	2004/09/10 12:43
122	115	(client\$2 computer\$2) with (encrypt\$5 secur\$3) with router\$2	USPAT	2004/09/10 12:43
123	570	(network link) same router same (test analy\$3)	USPAT	2004/09/10 12:43
124	145	(network link) same router same (test analy\$3) same traffic	USPAT	2004/09/10 12:43
125	75	(network link) same router same (test analy\$3) same traffic and ("709" "713")	USPAT	2004/09/10 12:43
126	1	"6141410"	USPAT	2004/09/10 12:43
127	1136	"709" and recommendation	USPAT	2004/09/10 12:44
128	73	"709" and recommendation same output	USPAT	2004/09/10 12:44
129	12	"709" and recommendation near5 output	USPAT	2004/09/10 12:45
130	26	"709" and recommendation near5 (output display)	USPAT	2004/09/10 12:45
131	10176	"709" and display\$3 near5 (result\$3 data\$3)	USPAT	2004/09/10 12:47
132	3670	"709" and display\$3 adj (result\$3 data\$3)	USPAT	2004/09/10 12:49
133	589	"709" and display\$3 adj (result\$3 data\$3) same network\$3	USPAT	2004/09/10 12:49
134	37	"709" and display\$3 adj (result\$3 data\$3) same network\$3 same traffic\$3	USPAT	2004/09/10 12:49
135	41	"709" and display\$3 adj (result\$3 data\$3) same network\$3 same (test\$3 analy\$3)	USPAT	2004/09/10 12:49
136	109	"709" and display\$3 adj (information result\$3 data\$3) same (network\$3 link\$3) same (test\$3 analy\$3)	USPAT	2004/09/10 12:49
137	130	"709" and (interface display\$3) adj (information result\$3 data\$3) same (network\$3 link\$3) same (test\$3 analy\$3)	USPAT	2004/09/10 12:49
138	22	"709" and (interface) adj (information result\$3 data\$3) same (network\$3 link\$3) same (test\$3 analy\$3)	USPAT	2004/09/10 12:49
139	1476	probe with network	USPAT	2004/09/10 12:51
140	220	probe with network and "709"	USPAT	2004/09/10 12:51
141	83	probe with network same rout\$3 and "709"	USPAT	2004/09/10 12:51
142	449	given adj ip	USPAT	2004/09/10 12:52
143	128	(given adj ip) and "709"	USPAT	2004/09/10 12:52
144	120	given adj "ip address"	USPAT	2004/09/10 12:52

145	76	(given adj "ip address") and "709"	USPAT	2004/09/10 12:52
146	14	(given adj "ip address") same destination	USPAT	2004/09/10 12:52
147	8	((given adj "ip address") same destination) and "709"	USPAT	2004/09/10 12:52
148	7	ip adj table same destination and "709"	USPAT	2004/09/10 12:52
149	217	(output\$3 display\$3) same (result\$2 recommendation\$2) same test\$3 same (link network) and "709"	USPAT	2004/09/10 12:52
150	132	(output\$3 display\$3) with (result\$2 recommendation\$2) same test\$3 same (link network) and "709"	USPAT	2004/09/10 12:52
151	23	(output\$3 display\$3) with (result\$2 recommendation\$2) same test\$3 same (link network) same rout\$3 and "709"	USPAT	2004/09/10 12:52
152	95	(output\$3 display\$3) near5(result\$2 recommendation\$2) same test\$3 same (link network) and "709"	USPAT	2004/09/10 12:52
153	16	(output\$3 display\$3) near5 (result\$2 recommendation\$2) same test\$3 same (link network) same rout\$3 and "709"	USPAT	2004/09/10 12:52
154	95	(output\$3 display\$3) near5 (result\$2 recommendation\$2) same test\$3 same (link network) and "709"	USPAT	2004/09/10 12:52
155	2	(output\$3 display\$3) same (recommendation\$3) same test\$3 same (link network) and "709"	USPAT	2004/09/10 12:52
156	240	(output\$3 display\$3) same result\$3 same test\$3 same (link network) and "709"	USPAT	2004/09/10 12:52
157	196	(show\$3 output\$3 display\$3) with result\$3 same test\$3 same (link network) and "709"	USPAT	2004/09/10 12:52
158	37	(show\$3 output\$3 display\$3) with result\$3 same test\$3 same (link network) same rout\$3 and "709"	USPAT	2004/09/10 12:53
159	16	internal adj bgp ibgp	USPAT	2004/09/10 12:53
160	12	internal adj bgp ibgp same rout\$3	USPAT	2004/09/10 12:53
161	5	"6502135"	USPAT	2004/09/10 12:53
162	10	secure with client with router	USPAT	2004/09/10 12:53
163	4925	router same ("autonomous system" as)	USPAT	2004/09/10 12:55
164	18	router same ("autonomous system" as) same traffic same (analysis test\$3)	USPAT	2004/09/10 12:55
165	2403	(router same ("autonomous system" as)) and period\$5	USPAT	2004/09/10 12:57
166	1606	(router same ("autonomous system" as)) and automat\$5	USPAT	2004/09/10 12:59
167	23	router same ("autonomous system" as) same automat\$5 and "709"	USPAT	2004/09/10 12:59
168	12	router same automat\$5 same traffic and "709"	USPAT	2004/09/10 12:59
169	4	router same automat\$5 same analysis and "709"	USPAT	2004/09/10 12:59
170	283	(analysis test) with traffic same network and "709"	USPAT	2004/09/10 12:59
171	234	((analysis test) with traffic same network and "709") and packet\$3	USPAT	2004/09/10 12:59
172	31	(analysis test) with traffic same network same (ip "ip address") and "709"	USPAT	2004/09/10 12:59

173	376	traffic adj analysis	USPAT	2004/09/10 12:59
174	114	(traffic adj analysis) and "709"	USPAT	2004/09/10 12:59
175	114	((traffic adj analysis) and "709") and (link\$3 network\$3 packet\$3)	USPAT	2004/09/10 12:59
176	1	((traffic adj analysis) and "709") and "autonomous system"	USPAT	2004/09/10 12:59
177	84	traffic adj analysis same (network\$3 link\$3 packet\$3) and "709"	USPAT	2004/09/10 12:59
178	84	traffic adj analysis same (network\$3 link\$3 packet\$3) and "709"	USPAT	2004/09/10 12:59
179	63	traffic adj analysis same (network\$3 link\$3 packet\$3) and (ip "ip address") and "709"	USPAT	2004/09/10 12:59
180	10	traffic adj analysis same (network\$3 link\$3 packet\$3) same (ip "ip address") and "709"	USPAT	2004/09/10 12:59
181	187	analysis same (network\$3 link\$3 packet\$3) same (ip "ip address") and "709"	USPAT	2004/09/10 12:59
182	3	analysis same (network\$3 link\$3 packet\$3) same (ip "ip address") and "709" and "autonomous system"	USPAT	2004/09/10 12:59
183	187	analysis same (network\$3 link\$3 packet\$3) same (ip "ip address") and "709"	USPAT	2004/09/10 13:00
184	187	analysis same (network\$3 link\$3 packet\$3) same (ip "ip address\$3") and "709"	USPAT	2004/09/10 13:00
185	110	analysis with (network\$3 link\$3 packet\$3) same (ip "ip address\$3") and "709"	USPAT	2004/09/10 13:00
186	133	load adj balanc\$3 with (ip "ip address\$3")	USPAT	2004/09/10 13:00
187	133	load adj balanc\$3 with (ip ip adj address\$3)	USPAT	2004/09/10 13:00
188	1	load adj balanc\$3 with (ip ip adj address\$3) same analy\$5	USPAT	2004/09/10 13:00
189	40	load adj balanc\$3 with (ip ip adj address\$3) same (analy\$5 determin\$3 test\$3)	USPAT	2004/09/10 13:00
190	10	traffic adj analysis with packet\$3 and "709"	USPAT	2004/09/10 13:00
191	57	load adj balanc\$3 with (ip ip adj address\$3) same (packet\$3)	USPAT	2004/09/10 13:00
192	21	analysis with (ip "ip address\$3") same destination same rout\$3	USPAT	2004/09/10 13:00
193	484	traffic adj analy\$5	USPAT	2004/09/10 13:00
194	146	(traffic adj analy\$5) and "709"	USPAT	2004/09/10 13:00
195	104	((traffic adj analy\$5) and "709") and (ip "ip address\$3")	USPAT	2004/09/10 13:00
196	842	(analy\$3 test) same packet\$3 same (network link) and "709"	USPAT	2004/09/10 13:01
197	582	(analy\$3 test) same packet\$3 same (network link) and (ip "ip address\$3") and "709"	USPAT	2004/09/10 13:01
198	434	(analy\$3 test) with packet\$3 same (network link) and (ip "ip address\$3") and "709"	USPAT	2004/09/10 13:01
199	268	(analy\$3 test) with packet\$3 same (network link) and (ip "ip address\$3") same rout\$3 and "709"	USPAT	2004/09/10 13:01
200	144	(analy\$3 test) with packet\$3 same (network link) and (ip "ip address\$3") same rout\$3 same (select\$3 choos\$3) and "709"	USPAT	2004/09/10 13:01
201	201	(analy\$3 test) same packet\$3 same (network link) and (ip "ip address\$3") same rout\$3 same (select\$3 choos\$3) and "709"	USPAT	2004/09/10 13:01

202	3	"6473405"	USPAT	2004/09/10 13:01
203	611	(analy\$3 test) and packet\$3 and (network link) and (ip "ip address\$3") same rout\$3 same (select\$3 choos\$3) and"709"	USPAT	2004/09/10 13:02
204	519	(analy\$3 test) with (network link) same rout\$3 and packet\$3 and (ip "ip address\$3") and"709"	USPAT	2004/09/10 13:02
205	519	(analy\$3 test) with (network link) same rout\$3 and packet\$3 and (ip "ip address\$3") and"709"	USPAT	2004/09/10 13:02
206	413	(analy\$3 test) with (network link) same rout\$3 and packet\$3 and (ip "ip address\$3") and destination and"709"	USPAT	2004/09/10 13:02
207	78	((analy\$3 test) with (network link) same rout\$3 and packet\$3 and (ip "ip address\$3") and destination and"709") and load adj balanc\$3	USPAT	2004/09/10 13:02
208	56	load adj balance\$3 same packet\$3 same rout\$3	USPAT	2004/09/10 13:02
209	227	(analy\$3 test) with (network link) same rout\$3 same packet\$3 and (ip "ip address\$3") and"709"	USPAT	2004/09/10 13:03
210	617	(analy\$5 test\$3 monitor\$3) with (network\$2 link\$2) same rout\$3 same packet\$3 and (ip "ip address\$3") and"709"	USPAT	2004/09/10 13:03
211	207	(analy\$5 test\$3 monitor\$3) with (network\$2 link\$2) same rout\$3 same packet\$3 same (ip "ip address\$3") and"709"	USPAT	2004/09/10 13:03
212	2475	(analy\$5 test\$3 monitor\$3) with packet\$3 with (network\$2 link\$2) and"709"	USPAT	2004/09/10 13:05
213	961	(analy\$5 test\$3 monitor\$3) with packet\$3 with (network\$2 link\$2) and "709"	USPAT	2004/09/10 13:05
214	247	(analy\$5 test\$3 monitor\$3) with packet\$3 with (network\$2 link\$2) same rout\$3 and "709"	USPAT	2004/09/10 13:05
215	961	(analy\$5 test\$3 monitor\$3) with packet\$3 with (network\$2 link\$2) and "709"	USPAT	2004/09/10 13:06
216	258	(analy\$5 test\$3 monitor\$3) with packet\$3 with (network\$2 link\$2) same traffic\$3 and "709"	USPAT	2004/09/10 13:06
217	375	(analy\$5 test\$3 monitor\$3) with (network\$2 link\$2) same packet\$3 same traffic\$3 and "709"	USPAT	2004/09/10 13:06
218	16	load adj balanc\$3 same (test\$3 analyz\$3) with (link\$3 (ip "ip address\$3"))	USPAT	2004/09/10 13:06
219	1	"6141410"	USPAT	2004/09/10 13:06
220	9	"5848055"	USPAT	2004/09/10 13:06
221	23	"5402478"	USPAT	2004/09/10 13:06
222	62	"5377262"	USPAT	2004/09/10 13:06
223	1	"6141410"	USPAT	2004/09/10 13:06
225	756	(network link) same traffic near5 analy\$5	USPAT	2004/09/10 13:07
226	297	(network link) same traffic near5 analy\$5 and "709"	USPAT	2004/09/10 13:07
227	249	(network link) same traffic near3 analy\$5 and "709"	USPAT	2004/09/10 13:07
228	868	packet\$3 near5 (test\$3 analy\$3) and "709"	USPAT	2004/09/10 13:07
229	245	packet\$3 near5 (test\$3 analy\$3) same rout\$3 and "709"	USPAT	2004/09/10 13:07
230	150	packet\$3 near5 (analy\$3) same rout\$3 and "709"	USPAT	2004/09/10 13:07
231	115	traffic adj analys\$5 and "709"	USPAT	2004/09/10 13:07

233	136	"autonomous system" and packet\$2	USPAT	2004/09/10 13:08
234	52	"autonomous system" and (network link) same (analy\$6)	USPAT	2004/09/10 13:08
235	48	local\$3 same analy\$5 same data\$3 same destination\$3 and "709"	USPAT	2004/09/10 13:08
236	469	analy\$5 same (data\$3 traffic\$3) same destination\$3 and "709"	USPAT	2004/09/10 13:08
237	2978	rout\$3 same (data\$3 traffic\$3) same destination\$3 and "709"	USPAT	2004/09/10 13:10
238	1140	(rout\$3 same (data\$3 traffic\$3) same destination\$3 and "709") and analy\$5	USPAT	2004/09/10 13:11
239	4096	(analys\$5 evaluat\$5 monitor\$5) same rout\$3 and "709"	USPAT	2004/09/10 13:13
240	687	(analys\$5 evaluat\$5 monitor\$5) same rout\$3 same (destination ip "ip address") and "709"	USPAT	2004/09/10 13:14
241	52	(evaluat\$3) same (data\$3 traffic\$3) same rout\$5 same (destination\$3 ip "ip address") and "709"	USPAT	2004/09/10 13:14
242	368	"autonomous system"	USPAT	2004/09/10 13:14
243	218	"autonomous system" and rout\$3	USPAT	2004/09/10 13:14
244	74	"autonomous system" and rout\$3 and "709"	USPAT	2004/09/10 13:14
248	16	analy\$5 near5 outgoing near5 packet\$3	USPAT	2004/09/10 13:14
249	477	analy\$5 near5 packet\$3 same rout\$3	USPAT	2004/09/10 13:14
250	335	analy\$5 near3 packet\$3 same rout\$3	USPAT	2004/09/10 13:15
251	73	analy\$5 near3 packet\$3 same rout\$3 same traffic\$3	USPAT	2004/09/10 13:15
252	103	analy\$5 near3 packet\$3 same rout\$3 same (ip "ip address\$3")	USPAT	2004/09/10 13:15
254	3	analy\$5 near3 packet\$3 same (ip "ip address\$3") near5 set	USPAT	2004/09/10 13:15
255	14	analy\$5 near3 packet\$3 same (ip "ip address\$3") near5 table	USPAT	2004/09/10 13:15
257	10	"igp" same packet\$3 same rout\$3 and "709"	USPAT	2004/09/10 13:15
258	23	"igp" same rout\$3 and "709"	USPAT	2004/09/10 13:15
259	29	"igp" and "709"	USPAT	2004/09/10 13:15
260	368	"autonomous system"	USPAT	2004/09/10 13:15
261	79	"autonomous system" and "709"	USPAT	2004/09/10 13:15
262	56	"autonomous system" same rout\$3 and "709"	USPAT	2004/09/10 13:15